



PHILHARMONIC CENTER *for the* ARTS

Theater Specifications Package
Daniels Pavilion
5833 Pelican Bay Boulevard, Naples FL 34108-2740

Production Personnel

Brian Burney – <i>Production Manager</i>	(239) 254-2677 (239) 289-3106 (Cell)	bburney@thephil.org
Mike Snabley – <i>AV Technician</i>	(239) 254-2681	msnabley@thephil.org

Maximum Seating:

- (283) Theatre / Lecture
- (236) Cabaret
- (120) Dinner
- (100) Classroom

Configurations to be determined by the management in advance based on available information from technical riders and contracts.

Room Specifications:

Dimensions: 53'W x 56'L x 20'H

Fixed Pipe Grid: 48'W x 48'L consisting of 36 8' x 8' squares mounted 20' above floor.

Risers: Available in a variety of shapes and sizes.

Production Booth: Located above audience along the North side of the room.

Dressing Rooms: subject to availability



PHILHARMONIC CENTER *for the* ARTS

Theater Specifications Package
Daniels Pavilion
5833 Pelican Bay Boulevard, Naples FL 34108-2740

Lighting System

ETC Element 60 250 ch.:

(84) 2.4kw ETC dimmers
Grid mounted circuit breakouts

Followspots:

(2) Lycian Clubspots
Advance notice required. Subject to availability.

House Hang: (fixed grid)

(22)	Altman 360Q 6 x 9"	(37°)	ellipsoidal	575w	Spotlights	[High Output Modified]
(1)	Altman 360Q 6 x 12"	(26°)	ellipsoidal	575w	Spotlight	[High Output Modified]
(1)	Altman 360Q 6 x 16"	(19°)	ellipsoidal	575w	Spotlight	[High Output Modified]
(16)	Colortran	(20°)	ellipsoidal	1kw	Spotlights	
(12)	Colortran Multi Par 64			1kw	Floodlights	
(6)	14" Scoops			(4 500w and 2 1kw)		
(10)	Chauvet Colorado 72 Tour					
(8)	Chauvet Intimidator Spot 250					
(8)	Chauvet Colorado 1 Par					



PHILHARMONIC CENTER *for the* ARTS

Theater Specifications Package
Daniels Pavilion
5833 Pelican Bay Boulevard, Naples FL 34108-2740

Sound System

Yamaha LS9-32 input Digital Console

EAW LINE ARRAY

- (6) EAW KF730 line array (3 per side)
- (2) EAW SB730 subs (1 per side)
- (1) EAW MX8750 speaker processor

AMPLIFIERS

- (2) QSC MX1500a (1 for mid/highs and 1 for lows)
- (1) QSC PLX3402 (for subs)
- (1) QSC MX1500a (for monitor mixes 1 & 2)

PROCESSING RACK

- (2) Klark-Teknik DN 360 31 band graphic eq.
- (1) One for stereo mains and 1 for monitor mixes 1 & 2

RECORDING AND PLAYBACK

- (1) Tascam DA-45HR stereo DAT deck (rec. & playback)
- (1) Tascam MD-350 mini-disc player/recorder
- (1) Tascam CD-014
- (1) HHB Dual CD Recorder

WIRELESS MICROPHONES

- (6) Channels Shure UR4D L3, Handheld or Lavalier available.



PHILHARMONIC CENTER *for the* ARTS

Theater Specifications Package
Daniels Pavilion
5833 Pelican Bay Boulevard, Naples FL 34108-2740

MICROPHONE INPUTS

- (1) 40- input, transformer isolated, pin (1) liftsplitter

MONITORS

- (4) DVX MD 1Z active monitor floor wedges
- (16) EAW WM 200 wedges each with (1) 12" and (1) 2"
Subject to availability

MONITOR OUTPUTS (all powered by Crown PS-200 Amps)

- (1) On West side of South wall
- (2) near East side of South wall
- (2) in corridor east of the Pavilion

BACKLINE (Subject to availability)

BASS AMP

- (1) SWR SM500 amplifier
- (1) Hartke 410 cabinet
- (1) Hartke 115 cabinet

GUITAR AMPS

- (1) Roland JC120
- (1) Fender Twin 65' Reissue

KEYBOARDS

- (1) Roland XP-60 with sustain and volume pedals
- (1) Korg Triton Extreme 88

KEYBOARD AMP

- (1) Roland KC500

DRUMS

- (1) Yamaha Recording Series drum kit. Assorted tom sizes, and 18" or 22" kick



PHILHARMONIC CENTER *for the* ARTS

Theater Specifications Package
Daniels Pavilion
5833 Pelican Bay Boulevard, Naples FL 34108-2740

YAMAHA RECORDING SERIES DRUM KIT (GLASSY BLACK) INVENTORY

Rack Toms

8" x 8"
10" x 8"
12" x 10"
13" x 9"
14" x 12"

Floor Toms

14" x 14"
16" x 16"

Kick Drums

18" x 16"
22" x 16"

Snare Drums

14" x 5.5" Yamaha Steel Shell
13" x 4" Pearl Brass Piccolo

Crash Cymbals

16" Zildjian
17" Sabian
18" Sabian

Ride Cymbals

21" Sabian

Sizzle Cymbals

20" Zildjian

China Cymbals

17" China

Splash Cymbals

9" Zildjian

Thrones

Gibraltar or Yamaha Round Thrones



PHILHARMONIC CENTER *for the* ARTS

Theater Specifications Package
Daniels Pavilion
5833 Pelican Bay Boulevard, Naples FL 34108-2740

COMMUNICATION

(1) One-channel Clearcom Intercom System
Program / Paging feed available to dressing room

Audio/Visual Equipment:

Sanyo PLC XM100 Video/5000 Lumen Data Projector:

1024 x 768 XGA native resolution
800 line video resolution
(2) Video inputs: Composite, S-Video, or Component
(2) Computer inputs: HD-15 or RGBHV (Component) VGA & DVI-D
All inputs have associated stereo audio inputs.
Remote computer control available via Serial or USB connections

VIDEO PRODUCTION SUITE (complete specs available upon request)

(1) Panasonic WJ-MX50A digital A/V mixer
(1) Color cue / preview monitors, 4" x 4" LCD monitors
(2) Sony SVO-1630 VHS HiFi videocassette recorders
(1) Tascam DVD DOIU
(1) Marantz DVD Player DMD 930



PHILHARMONIC CENTER *for the* ARTS

Theater Specifications Package
Daniels Pavilion
5833 Pelican Bay Boulevard, Naples FL 34108-2740

MISCELLANEOUS VIDEO EQUIPMENT

- (1) 32" JVC color TV / monitor
- (1) Mitsubishi stereo VHS videocassette recorder

SLIDE PROJECTION

- (3) Kodak Ektagraphic III AMT slide projectors with Navitar BRIGHTLIGHT modules
- (3) Elmo 100-150mm zoom lenses
- (3) Navitar GNZ6935 6"-9" f3.5 zoom lenses
- (3) Navitar NB-133N Barlow (2x Extender) lenses
- (6) Kodak B80T carousel slide trays
- (2) AMX MX40 wireless remote controls for slide projectors
- (1) Dove X² Dissolve control for up to 3 projectors
- (1) Chief 3 tier slide projector stacker

PROJECTION SCREENS

- (1) permanently mounted 16' x 16' Stewart Model B Electric Roller Screen.
- (2) DaLite 7' x 7' portable tripod projection screens
- (1) DaLite 5' x 5' portable tripod screen
- (1) DaLite 9' x 12' front or rear projection screen

MISCELLANEOUS

- (3) Projection carts



PHILHARMONIC CENTER *for the* ARTS

Theater Specifications Package
Daniels Pavilion
5833 Pelican Bay Boulevard, Naples FL 34108-2740

Lecterns

(2) DaLite Oravisual Concord:

- rosewood finish floor model
- electric height adjustment
- timer/clock
- twin Crown LM-300A Supercardioid condenser gooseneck microphones